

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services - Irrigation & CAD Department – Irregularities in drawing mobilization of Labour and equipment advances under EPC – Neelwai Medium Irrigation Project – Construction of Head works and canals of “Proposed – Reservoir across Peddavagu stream near Neelwai(V), Vempally(M), Adilabad Dist.” (Package- 12). - Disciplinary proceedings initiated against Sri S. Narahari, Supdt (Retd.) - WSD submitted - Further action dropped - orders - Issued.

IRRIGATION & C.A.D. (Ser.VII.(V&E)A.1) DEPARTMENT

G.O.Rt.No. 580

Dated: 20-06-2013

Read the following:

- Ref: 1. Director General (Vig. & Enft.) & E.O. Prl. Secy. to Govt.,
G.A.D. Report No.60(1073/V&E./E.1/2005), DT. 29.07.2006.
2. G.O.Ms.No.124 I&CAD(Ser.VII(V&E-1)Dept, Dt. 06-12-2010
3. G.O.Rt.No.1478 I&CAD(Ser.VII(V&E-1)Dept, Dt. 06-12-2010.
4. From Sri S. Narahari, Supdt.(Retd.) WSSD Dt. 06-01-2011.

ORDER:

In the reference 1st read above, it was brought to the notice of Government that in Neelwai Medium Irrigation Project, certain Irregularities were took place in drawing Mobilization of labour and equipment advance in construction of Head works and canals of “Proposed Reservoir across Peddavagu Stream near Neelwai (v), Vempally (M), Adilabad Dist”. with a recommendation to initiate suitable departmental action against officers responsible.

2. After examination of the matter, it has been decided to initiate departmental action against the engineers responsible. Accordingly, in the reference 3rd read above, disciplinary action has been initiated by way of issuing articles of charge against Sri S. Narahari, Supdt.(Retd.) with a direction to submit their WSDs.

3. In the references 4th read above , Sri S.Narahari, Supdt(Retd.) has submitted his WSD. In his WSD, among other things, has stated that the irregularity pertaining to the year 2005 and he retired from service on 30-06-2006. Charge has been issued during the year 2010 vide G.O.Rt.No. 1478, dated. 06-12-2010. In view of the (4) years limitation period prescribed under Rule 9 (2)(b)(ii) of AP RP Rules 1980 no action can be initiated against him. Therefore he has requested to drop further action against him.

4. After careful examination of the WSD of the above charged officer, it has been decided to accept the request of the charged officer. Accordingly Govt. hereby drop further action against Sri S. Narahari, Supdt. (Retd.) in the matter of drawing Mobilization of Labour and Equipment advances in construction of Head works and canals of “proposed Reservoir across Peddavagu Stream near Neelwai (V), Vempally (M), Adilabad Dist.

::2::

6. The Engineer-in-Chief (AW), I&CAD Department, Hyderabad shall take further necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAIENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri S. Narahari, Supdt. (Retd.) (**Through**) the Engineer-in-Chief(AW),
I&CAD Department, Hyderabad.

The Engineer-in-Chief(AW) , I&CAD Department, Hyderabad.

Copy to:

The Accountant General, AP., Hyderabad.

The General Administrative (V&E) Department.

The Secretary to VC, A.PVC, Hyderabad.

SF/SC

//FORWARDED : BY ORDER//

SECTION OFFICER